

CERTIFICATE OF CONFORMITY

This certificate serves to verify that the following chemical product:

Bio-Spray Surface Sanitiser

was submitted for testing by:

Laser Chemicals (Pty) Ltd

in respect of testing against the following:

Chemical disinfectants and antiseptics. Quantitative Suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas. Test method and requirements (phase 2, step 1)
(BS EN 1276:2009)

Report Reference: AGR 05_20-0018-7 - the submitted sample conforms.

The product formulation was assessed for:

Toxicological Safety for Use in Direct Food Contact Applications

Report Reference: LEIC-LAS-TRAG-1 - conforms if used as directed.

Certificate No:
2018IS/TS/0423

Date of issue:
23 June 2020

Valid until:
22 June 2023



Amanda Pienaar
Business Line Leader - Business Assurance

Issued by:
Intertek, PO Box 12445, Aston Manor, 1630, South Africa
www.intertek.com

- This Certificate of Conformance is only valid if
- the relevant Intertek Laboratory Test Report Reference Numbers are quoted.
 - is subject to any condition or limitation contained therein.
 - is identified by the applicable certificate number.
 - Intertek can't provide legally binding assessments referring to isolated cases.



CERTIFICATE OF CONFORMITY

This certificate serves to verify that the following chemical product:

Bio-Spray Surface Sanitiser

was submitted for testing by:

Laser Chemicals (Pty) Ltd

in respect of testing against the following:

EN 1650:2019-Quantitative suspension test for the evaluation of fungicidal and yeasticidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas. Test method and requirements - phase 2, step 1.

Report Reference: AGR 05_20-0215-EN1650 - the submitted sample conforms.

The product formulation was assessed for:

Toxicological Safety for Use in Direct Food Contact Applications

Report Reference: LEIC-LAS-TRAG-1 - conforms if used as directed.

Certificate No:
2018IS/TS/0534

Date of issue:
19 August 2020

Valid until:
18 August 2023



René Cloete

Operations Manager
Business Assurance and Food Services – Sub
Saharan Africa

Issued by:
Intertek, PO Box 12445, Aston Manor, 1630, South Africa
www.intertek.com

This Certificate of Conformance is only valid if

- the relevant Intertek Laboratory Test Report Reference Numbers are quoted.
- is subject to any condition or limitation contained therein.
- is identified by the applicable certificate number.
- Intertek can't provide legally binding assessments referring to isolated cases.

